Safety Data Sheet

Manufacturer Name: FMI PAINT AND CHEMICAL, INC. 14 Eastern Park Rd. East Hartford, CT 06108 Emergency Telephone No.: Chemtrec: 800-262-8200 Information Telephone No.: (860) 218-2210

Last Revision: 10-11-2010

Section I: Product Identification

Product No.: 410 SW7668

Product Name: Stormcoat 100% Acrylic Stain Product Class: Exterior Solid Body Water-borne Stain

Section II: Hazardous Ingredients/Sara III Information

Ingredient CAS No. Weight Percent Occupational Exposure Limits Vapor pressure mm Hg @ temp.

N/A N/A N/A N/A N/A

Section III: Physical Data

Boiling Range: 212F (water) Vapor Density: Heavier than air Evaporation Weight: slower than ether Percent Volatile Volume: 71.36 Weight per Gallon: 10.235 VOC: 64.34 grams per liter

Section IV: Fire and Explosion Hazard Data

FLAMMABILITY CLASSIFICATION: Non-Combustible FLASH POINT: N/A LEL: 2.6

EXTINGUISHING MEDIA: Foam, Alcohol Foam, CO2, Dry Chemical, Water Fog, Other

UNUSUAL FIRE AND EXPLOSION HAZARDS: Product will not burn but may spatter if temperature exceeds boiling point dry coatings films are capable of burning and giving off oxides of Carbon & Nitrogen.

SPECIAL FIRE FIGHTING PROCEDURES: N/A

Section V: Health Hazard Data

EFFECTS OF OVEREXPOSURE:

INHALATION: May cause irritation of the hose, throat, and respiratory tract and symptoms of headache and nausea.

SKIN: Prolonged or repeated contact may cause skin irritation.

EYE: Direct contact with product may cause eye irritation.

MEDICAL CONDITIONS PRONE TO AGGRAVATION BY EXPOSURE: Chronic skin rashes or respiratory conditions may be aggravated by exposure.

PRIMARY ROUTE(S) OF ENTRY: Dermal, Inhalation, Ingestion

EMERGENCY AND FIRST AID PROCEDURES:

EYE: Wash with water for 15 minutes consult physician if irritation persists.

SKIN: Wash thoroughly with soap and water. **INHALATION**: Remove victim to fresh air.

INGESTION: If victim is conscious, give two glasses of water to drink. Consult a physician. Do not give anything by mouth to an

unconscious person.

Section VI: Reactivity Data

Stability: stable

Hazardous polymerization: will not occur Hazardous Decomposition Products: N/A

Conditions to Avoid: N/A

Incompatibility (Materials to Avoid): N/A

Section VII: Spill or Leak Procedures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Keep spill out of sewers and pen bodies of water. Dike and contain spill with inert material. Transfer the liquid to containers for recovery or disposal.

WASTE DISPOSAL METHOD:

Dispose of material in accordance with local, state, and federal regulations.

Section VIII: Safe Handling and Use Information

Respiratory Protection: None required if good ventilation is maintained. Other wise use a MESA/NIOSH approved respirator.

Ventilation: Use mechanical, local exhaust system.

Protective Gloves: Impervious **Eye Glasses:** Safety Glasses **Other Protective Equipment:**

Hygienic Practices:

Section IX: Special Precautions

Precautions to be taken in Handling and Storing: Keep from freezing. If product freezes, it is rendered useless.

Other Precautions: Avoid prolonged breathing of spray vapor.

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation and verification. Before using any product, read its label.